

 **Taylor & Martin, Inc.**
AUCTIONEERS
An Employee Owned Company

*Absolute
Public*

AUCTION



Late Model Tractors & Trailers

380+



1 auction rings - second ring begins selling trailers @ 12 p.m.

SOUTH SIOUX CITY, NEBRASKA

THURSDAY, MARCH 26, 2020

Fairgrounds • 9:00 A.M.

Taylor & Martin, Inc.

— AUCTIONEERS —

An Employee Owned Company

Absolute Public AUCTION




Late Model Tractors & Trailers

SOUTH SIOUX CITY, NEBRASKA

THURSDAY, MARCH 26, 2020

Fairgrounds • 9:00 A.M.



AUCTION INFORMATION

Auction Site . . .

■ The auction will be held at the fairgrounds (previously Atokad Park), Jct. US 20 & US 77, South Sioux City, NE 68776. From I-29 south of Sioux City, IA, take Exit 144 (US 20 West) and go west on US 20 to US 77. Go south on US 77 to fairgrounds, approximately 1/4 mile.

BEGINNING SATURDAY, MARCH 21, CALL:

■ **AUCTION PHONE: 402-494-4211** ■ **FAX: 402-494-6202**

Auctioneer's Note . . .

■ This absolute public auction will feature equipment from several fleets and owner operators and is being sold as part of their regular replacement programs or in connection with fleet downsizing.

MAKE PLANS NOW TO ATTEND

Travel . . .

■ Delta Hotels by Marriott South Sioux City Riverfront, 385 E. 4th St., South Sioux City, NE 68776, 402-494-4000, will be hotel headquarters for this South Sioux City auction. For reservations and preferred rates, call Shelley at Taylor & Martin, 800-654-8280 or log on to our web site at www.taylorandmartin.com.

■ Sioux Gateway Airport serves most major airlines and private aircraft. The airport is located at Exit 141 on I-29. Major rental car agencies are available at the airport.

Taylor & Martin is able to provide full-service travel arrangements. Call Shelley for assistance with all your vacation and travel plans.

Inspection/Check Out . . .

■ Inspection begins Saturday, March 21 (Sunday included). Auction attendees are responsible for their safety when inspecting equipment. Removal by Thursday, April 2. Check-out personnel's phone number - 402-981-6413.

Absentee Bidding . . .

■ Contact Taylor & Martin at 800-654-8280 or the auction site, 402-494-4211, beginning Saturday, March 21. Absentee bids will not be accepted the day of the auction, so please call at least one day in advance.

Wire Transfers . . .

■ If you are paying for your purchase with a wire transfer, then at the discretion of Taylor & Martin, a \$10,000 deposit must be wire transferred to us no later than 3:00 p.m. (central time) the day before the auction. Your deposit will be applied to your purchase. If you are not the successful bidder, your deposit will be refunded to you. For complete wiring instructions and any questions, please call 402-941-1031 or 402-941-1011.

Absolute Auction . . .

■ All equipment selling at the Thursday regular auction sells to the highest bidder. No bid-ins or reserves. Everything sells "as is, where is." The final bidder is required to pay for purchase regardless of its faults. The condition and serviceability of any piece of equipment is expressed only by the owners and absolutely no warranty or guarantee is given or implied. Please remember that this brochure is only a guide and is subject to additions or deletions. Please contact the auctioneers for updated information. Announcements made the day of the auction will take precedence over any printed material.

Terms . . .

■ Complete payment due the day of sale by cash (\$5,000 deposit required), certified or cashier's check. Personal or company checks will be accepted if accompanied by a letter of guarantee from your bank. This letter of guarantee must include the following: "Your bank will guarantee or honor your check up to a specified amount for purchases made at this auction." A two percent (2.0%) transaction fee will be charged to the buyer for all purchases at this auction unless marked with a Buyer's Premium. Titles will be mailed.

Online bidding service now available directly on

www.taylorandmartin.com



Brad Anderson

Director of Online Auction Operations

Mobile: (402) 720-9579

banderson@taylorandmartin.com

Bank Letter of Guarantee Fax:

(402) 941-1552

Online registration must be completed and approved the day prior to auction.

For more information about equipment selling or to consign equipment to upcoming auctions, please contact your local representative:



Jason Hendrickson
Sales Rep.
Nebraska, Kansas
& Oklahoma
Mobile: 402-676-6454



David Meyer
Sales Rep.
Nebraska,
North & South Dakota
Mobile: 402-981-4546



CJ Costas
Sales Rep.
Iowa & Missouri
Mobile: 402-689-3222



Scott Carter
Sales Rep.
Minnesota & Wisconsin
Mobile: 402-681-6967

Se Habla Español
CJ Costas
402-689-3222

Jazmin Raber
402-619-0907

Victor Jimenez
402-719-0233

Taylor & Martin, Inc.
— AUCTIONEERS —

An Employee Owned Company

Fremont, NE • 800-654-8280

www.taylorandmartin.com



Would you rather receive your auction notification & information electronically?

To have your email address added to our electronic auction notification, call Lexy @ 800-654-8280, ext. 1042.

• Receive your auction information faster - take advantage of easy searching functions - more photographs of equipment available - always at your fingertips.

TWO AUCTION RINGS!

Tractors @ 9 a.m. indoors - 2nd ring starts selling trailers @ 12:00 noon outdoors

ALUMINUM REEFERS

53 FT. x 102 INCHES WIDE

2014 VANGUARD Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Precedent S-600 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Front And Rear Vents, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2013 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

2013 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2013 GREAT DANE

THREE MATCHED 2013 GREAT DANES

3 2013 GREAT DANE Everest SS Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-330 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels



2010 UTILITY

2010 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2014 UTILITY



53 FT. x 102 INCHES WIDE FOUR MATCHED 2014 UTILITIES

4 2014 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Vector 8500 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Aluminum Disc Wheels



2013 GREAT DANE

TWO MATCHED 2013 GREAT DANES

2 2013 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels



2011 GREAT DANE

2011 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front, Stainless Steel Door Frame, Front And Rear Vents, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Disc Wheels, Aluminum Discs Outside

2013 UTILITY



53 FT. x 102 INCHES WIDE

2013 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels

2012 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels

2012 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels



2012 UTILITY

2012 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Side Skirts, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Aluminum Disc Wheels

2014 UTILITY



53 FT. x 102 INCHES WIDE

2014 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 105.0 Inch Inside Height, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, TrailerTail, Undertray Aero System, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Super Single Tires, Aluminum Disc Wheels

NINE MATCHED 2013 UTILITIES

9 2013 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 105.0 Inch Inside Height, Carrier 2500A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, TrailerTail, Undertray Aero System, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Super Single Tires, Aluminum Disc Wheels (photo on web)

2012 UTILITY



FIVE MATCHED 2012 UTILITIES

5 2012 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2010 GREAT DANE

2010 GREAT DANE Super Seal Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-200TG Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

2010 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

FOUR MATCHED 2008 UTILITIES

4 2008 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2009 UTILITY

2009 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Rear Vent, Side Skirts, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 WABASH ArcticLite Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 GREAT DANE Super Seal Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 GREAT DANE Super Seal Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2011 GREAT DANE

FOUR MATCHED 2011 GREAT DANES

4 2011 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-310 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels

2009 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2009 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Unit, Heavy Duty Floor, Scuff Plate, E-Track, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Aluminum Disc Wheels

2008 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

FIVE MATCHED 2008 UTILITIES

5 2008 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2008 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Stealth Unit, Heavy Duty Floor, Scuff Plate, E-Track, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2006 UTILITY

2006 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

THREE MATCHED 2005 GREAT DANES

3 2005 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Extra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2001 WABASH

2001 WABASH Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SBIII Smart Reefer Plus Unit, Heavy Duty Floor, Scuff Plate, Front Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 24.5 Low Profile Tires, Disc Wheels

48 FT. x 102 INCHES WIDE

1993 DORSEY Aluminum Reefer, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Phoenix Ultra XL Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Rear, Stainless Steel Quilted Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels



2008 GREAT DANE

2008 GREAT DANE Super Seal Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rear Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

TWO MATCHED 2006 UTILITIES

2 2006 UTILITY 3000R Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2005 GREAT DANE Super Seal Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Ultra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2004 GREAT DANE Aluminum Reefer, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Extra Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

48 FT. x 102 INCHES WIDE

2011 WABASH Aluminum Reefer, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Aluminum Flat Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Aluminum Disc Wheels

2008 WABASH Aluminum Reefer, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Aluminum Flat Floor, Scuff Plate, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Aluminum Disc Wheels



1993 DORSEY

DIRECT FROM DECKER TRUCK LINE

ALUMINUM & PLATE VANS

2020 VANGUARD



53 FT. x 102 INCHES WIDE

TEN MATCHED NEW 2020 VANGUARDS

10 NEW 2020 VANGUARD MaxCube Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Stainless Steel Front Radius Panels, Stainless Steel Rear, Rollup Door, Spring Suspension, Sliding Tandem, Disc Brakes, 22.5 Low Profile Tires, Disc Wheels, **F.E.T. To Be Collected**

2016 UTILITY



2016 UTILITY 4000D-X Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Side Skirts, Stainless Steel Door Frame, Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 11R22.5 Aluminum Disc Wheels

2013 UTILITY 4000D-X Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2009 UTILITY



FIVE MATCHED 2009 UTILITIES

5 2009 UTILITY 4000D-X Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 110.0 Inch Inside Height, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Front And Rear Vents, Side Skirts, Stainless Steel Door Frame, Swing Doors, Hendrickson Air Ride Suspension, Sliding Tandem, PSI Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels

53 FT. x 102 INCHES WIDE

2016 WABASH DuraPlate Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 110.0 Inch Inside Height, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels **(photo on web)**



2016 UTILITY

THREE MATCHED 2016 UTILITIES

3 2016 UTILITY 4000D-X Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Aluminum Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Side Skirts, Stainless Steel Rear, Stainless Steel Door Frame, Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels

2016 VANGUARD



FOUR MATCHED 2016 VANGUARDS

4 2016 VANGUARD MaxCube Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 36 Inch King Pin, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Side Skirts, Galvanized Rear, Galvanized Door Frame, Swing Doors, Air Ride Suspension, Sliding Tandem, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

2009 WABASH



TWO MATCHED 2009 WABASH

2 2009 WABASH Plate Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

TWO MATCHED 2008 WABASH

2 2008 WABASH Plate Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2009 WABASH



2009 WABASH DuraPlate Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, 36 Inch King Pin, Aluminum Scuff Plate, Threshold Plate, Wood Floor, Translucent Roof, E-Track, Logistics Equipped, Rollup Door, Air Ride Suspension, Sliding Tandem, Dump Valve, 22.5 Low Profile Tires, Disc Wheels

2006 GREAT DANE



FOUR MATCHED 2006 GREAT DANES

4 2006 GREAT DANE Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Air Ride Suspension, Sliding Tandem, Dump Valve, 22.5 Low Profile Tires, Disc Wheels

LOWBOYS

2010 TRAIL KING



48 FT. x 102 INCHES WIDE
TWO MATCHED 2010 TRAIL KINGS

2 2010 TRAIL KING TK54MG Mechanical Detachable Lowboy, 48 Ft. Long, 102 Inches Wide, 30 Ft. Main Deck, 9 Ft. 6 Inch Top Deck, 8 Ft. 6 Inch Rear Deck, 16 Inch King Pin, Aluminum Floor, Nail Strips, D-Rings, Winches, Pull Out Outriggers, Air Ride Suspension, Dump Valve, 22.5 Low Profile Tires, Disc Wheels



2007 FONTAINE

40 TON CAPACITY

2007 FONTAINE 40 Ton Capacity Mechanical Detachable Double Drop Lowboy, 48 Ft. Long, 102 Inches Wide, 18 Inch Deck Height, 29 Ft. Main Deck, 8 Ft. Rear Deck, 18 Inch King Pin, Wood Floor, D-Rings, Outriggers, Set Up For Flip 3rd Axle, Air Ride Suspension, Dump Valve, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

2008 UTILITY



2008 UTILITY 4000D-X Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Translucent Roof, Logistics Equipped, Stainless Steel Front Radius Panels, Stainless Steel Door Frame, Rollup Door, Spring Suspension, Sliding Tandem, 11R22.5 Disc Wheels

1995 WABASH Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Threshold Plate, Wood Floor, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1995 WABASH Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Scuff Plate, Wood Floor, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1994 WABASH Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Scuff Plate, Wood Floor, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1992 WABASH Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Lined, Threshold Plate, Wood Floor, Stainless Steel Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 WABASH



53 FT. x 102 INCHES WIDE

2007 WABASH Plate Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2007 WABASH Aluminum Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Translucent Roof, Logistics Equipped, Rollup Door, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

48 FT. x 102 INCHES WIDE

2008 TRAILMOBILE Aluminum Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Composite Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Disc Wheels

BOOSTER

2005 TRAIL KING



30 TON CAPACITY

2005 TRAIL KING TK60SD 30 Ton Capacity **Tri-Axle** Booster, 17 Ft. 9 Inches Long, 120 Inches Wide, 36 Inch Deck Height, 17 Ft. Main Deck, D-Rings, Air Ride Suspension, Dump Valve, Pintle Hook, 17.5 Disc Wheels

FLIP AXLES



2014 XL SPECIALIZED XL24FA Flip Axle, 22.5 Low Profile Tires, Aluminum Disc Wheels

2007 FONTAINE Renegade Flip Axle, 5 Ft. Long, Wood Floor, D-Rings, Air Ride Suspension, Dump Valve, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

DROP DECKS



2015 REITNOUER

53 FT. x 102 INCHES WIDE TWO MATCHED 2015 REITNOUERS

2 2015 REITNOUER Aluminum Drop Deck, 53 Ft. Long, 102 Inches Wide, 43 Ft. Main Deck, 10 Ft. Top Deck, Aluminum Floor, Double Spool, Air Ride Spread Axle, Sliding Rear Axle, 19.5 Aluminum Disc Wheels

2013 REITNOUER Aluminum Drop Deck, 53 Ft. Long, 102 Inches Wide, 43 Ft. Main Deck, 10 Ft. Top Deck, Aluminum Floor, Double Spool, Air Ride Spread Axle, Sliding Rear Axle, 19.5 Aluminum Disc Wheels

2006 WILSON Aluminum And Steel Composite Drop Deck, 53 Ft. Long, 102 Inches Wide, 43 Ft. Main Deck, 10 Ft. Top Deck, Wood Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Air Ride Spread Axle, 245/65R17.5 Aluminum Disc Wheels

2005 WILSON Roadbrute Aluminum And Steel Composite Drop Deck, 53 Ft. Long, 102 Inches Wide, 42 Ft. Main Deck, 11 Ft. Top Deck, Aluminum Floor, 2 Tool Boxes, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

FLATBEDS



2020 CHAPARRAL

48 FT. x 102 INCHES WIDE THREE MATCHED NEW 2020 CHAPARRALS

3 NEW 2020 CHAPARRAL Aluminum Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, 20 J-Hooks, Sliding Winch Track With Winches, 9 Lights Per Side, Air Ride Spread Axle, Air Lift Front Axle, Dump Valve, HXL5 Wheel-End Package, 22.5 Low Profile Tires, Aluminum Disc Wheels, **F.E.T. To Be Collected**

CURTAINSIDE FOUR MATCHED 2018 GREAT DANES

4 2018 GREAT DANE Freedom XP Aluminum Curtainside Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Bulkhead With Front Access Door, Air Scale, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Double Spool, Aluminum Tool Box, Air Ride Spread Axle, Dump Valve, 22.5 Low Profile Tires, Aluminum Disc Wheels



2007 REITNOUER

TWO MATCHED 2007 REITNOUERS

2 2007 REITNOUER Aluminum Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

CURTAINSIDE

2005 EAST Beast Aluminum Curtainside Flatbed, 48 Ft. Long, 102 Inches Wide, 30 Inch King Pin, Aluminum Floor, Nail Strips, Quick Draw Tarpaulin System, Tie Downs, Sliding Winch Track With Winches, Coil Package, Aluminum Tool Box, Air Ride Spread Axle, Dump Valve, 22.5 Low Profile Tires, Aluminum Disc Wheels

TWO MATCHED 2005 WILSONS

2 2005 WILSON Roadbrute Aluminum And Steel Composite Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, 12 Inch Crossmembers, 2 Aluminum Tool Boxes, Air Ride Spread Axle, Dump Valve, 24.5 Low Profile Tires, Aluminum Disc Wheels



2008 WILSON

2008 WILSON DWH-551 Aluminum Hopper Bottom Grain, 41 Ft. Long, 96 Inches Wide, 78 Inch Sides, Stainless Steel Front And Rear, Front And Rear Ladders, Front And Rear Catwalk, Tarp And Bows, Air Ride Suspension, 11R24.5 Aluminum Disc Wheels

2008 WILSON Pacesetter Aluminum Hopper Bottom Grain, 43 Ft. Long, 96 Inches Wide, 66 Inch Sides, 24 Inch King Pin, Air Scale, Front And Rear Ladders, Front And Rear Catwalk, Roll Tarp, Air Ride Suspension, Dump Valve, 22.5 Low Profile Tires, Aluminum Disc Wheels

FLATBEDS

48 FT. x 102 INCHES WIDE

2005 REITNOUER Aluminum Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside (**photo on web**)

2004 FONTAINE Aluminum Flatbed, 48 Ft. Long, 102 Inches Wide, 30 Inch King Pin, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Air Ride Spread Axle, 11R22.5 Disc Wheels, Aluminum Discs Outside



2003 CHAPARRAL

2003 CHAPARRAL Aluminum Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, 2 Aluminum Tool Boxes, Air Ride Spread Axle, Tire Inflation System, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside

2000 TRAILMOBILE Aluminum And Steel Composite Flatbed, 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Aluminum Tool Box, Air Ride Spread Axle, 22.5 Low Profile Tires, Aluminum Disc Wheels



2012 TIMPTE

2012 TIMPTE **Tri-Axle** Aluminum Hopper Bottom Grain, 50 Ft. Long, 96 Inches Wide, 72 Inch Sides, Stainless Steel Radius Panels, 2 Speed Hopper Doors, Front And Rear Ladders, 2 Rows Of 3 LED Lights, Sioux City Tarp Electric Opener, Air Ride Suspension, Air Lift 3rd Axle, 11R24.5 Disc Wheels, Aluminum Discs Outside

TWO MATCHED 2010 WILSONS

2 2010 WILSON Pacesetter Aluminum Hopper Bottom Grain, 43 Ft. Long, 96 Inches Wide, 66 Inch Sides, 24 Inch King Pin, Air Scale, Front And Rear Ladders, Front And Rear Catwalk, Roll Tarp, Air Ride Suspension, Dump Valve, 11R22.5 Aluminum Disc Wheels

TWO MATCHED 2009 CORNHUSKERS

2 2009 CORNHUSKER Aluminum Hopper Bottom Grain, 42 Ft. Long, 96 Inches Wide, 78 Inch Sides, 24 Inch King Pin, Air Scale, 2 Speed Hopper Doors, Front And Rear Ladders, Front And Rear Catwalk, Roll Tarp, Air Ride Suspension, Dump Valve, 22.5 Super Single Tires, Aluminum Disc Wheels

2009 WILSON Pacesetter Aluminum Hopper Bottom Grain, 43 Ft. Long, 96 Inches Wide, 66 Inch Sides, 24 Inch King Pin, Air Scale, Front And Rear Ladders, Front And Rear Catwalk, Roll Tarp, Air Ride Suspension, Dump Valve, 11R22.5 Aluminum Disc Wheels

BELT TRAILERS



2018 AULICK

2018 AULICK Auluminator 4866543XL **Tri-Axle** Belt Trailer, 48 Ft. Long, 102 Inches Wide, 66 Inch Sides, 54 Inch Belt, Swing Gate/Hydraulic Knife Gate, Front And Rear Ladders, Electric Roll Tarp, Air Ride Suspension, Air Lift 3rd Axle, 22.5 Low Profile Tires, Aluminum Disc Wheels



2008 WILSON

2008 WILSON Patriot Belt Trailer, 50 Ft. Long, 102 Inches Wide, 66 Inch Sides, 48 Inch Belt, Top Hinge Rear Door, Stainless Steel Front, Front Ladder, Front Catwalk, Electric Roll Tarp, Air Ride Spread Axle, 11R24.5 Aluminum Disc Wheels

HOPPER BOTTOM GRAINS



2015 TIMPTE

2015 TIMPTE **Tri-Axle** Aluminum Hopper Bottom Grain, 50 Ft. Long, 96 Inches Wide, 78 Inch Sides, Stainless Steel Radius Panels, 2 Speed Hopper Doors, Front And Rear Ladders, Thunder 6000XR Electric Tarp, Air Ride Suspension, Air Lift 3rd Axle, 11R24.5 Disc Wheels, Aluminum Discs Outside



2015 WILSON

2015 WILSON Pacesetter Aluminum Hopper Bottom Grain, 43 Ft. Long, 102 Inches Wide, 78 Inch Sides, Air Scale, Stainless Steel Radius Panels, High Capacity Hoppers, 2 Speed Hopper Doors, Front And Rear Ladders, Front And Rear Catwalk, Roll Tarp, Aluminum Sub Frame Upper Coupler, Air Ride Suspension, Set Up For 2 Inch Offset Super Single Wheels, 22.5 Low Profile Tires, Aluminum Disc Wheels

STAINLESS STEEL TANKERS



2000 BRENNER

5,000 GALLON CAPACITY

2000 BRENNER Stainless Steel Tanker, 43 Ft. 4 Inches Long, Non-Code, Insulated, Straight Round, T-304SS Barrel, 5,000 Gallon Capacity, 1 Compartment, All Stainless Steel Frame, Rear Discharge, 3 Inch Stainless Steel Piping, 1 Manhole, Cabinet, Front And Rear Aluminum Fenders, Air Ride Suspension, 22.5 Low Profile Tires, Aluminum Disc Wheels



1995 BRENNER

5,150 GALLON CAPACITY

1995 BRENNER Stainless Steel Tanker, 42 Ft. Long, Non-Code, External Rings, Double Conical, Stainless Steel Barrel, 5,150 Gallon Capacity, 1 Compartment, Stainless Steel Frame, Center Discharge, 3 Inch Stainless Steel Piping, 1 Manhole, Rear Fenders, Air Ride Suspension, 22.5 Low Profile Tires, Disc Wheels



1994 WALKER

6,250 GALLON CAPACITY

1994 WALKER 3-A Sanitary Stainless Steel Tanker, 44 Ft. 2 Inches Long, Insulated, Straight Round, T-304SS Barrel, 6,250 Gallon Capacity, 1 Compartment, All Aluminum Frame, Rear Discharge, 3 Inch Stainless Steel Piping, Sanitary Manhole, Cabinet, Front And Rear Aluminum Fenders, Thermometer, Stainless Steel Spill Dam, Aluminum Catwalk, Air Ride Suspension, 11R22.5 Aluminum Disc Wheels



1993 WALKER

6,200 GALLON CAPACITY

1993 WALKER 3-A Sanitary Stainless Steel Tanker, 43 Ft. 4 Inches Long, Insulated, Straight Round, T-304SS Barrel, 6,200 Gallon Capacity, 1 Compartment, Aluminum Frame, Rear Discharge, 3 Inch Stainless Steel Piping, Sanitary Manhole, Cabinet, Front And Rear Aluminum Fenders, Steam Heat, In-Transit Heat, Thermometer, Stainless Steel Spill Dam, Aluminum Catwalk, Air Ride Suspension, Dump Valve, 11R22.5 Aluminum Disc Wheels



1981 FRUEHAUF

5,800 GALLON CAPACITY

1981 FRUEHAUF Stainless Steel Fertilizer Tanker, 42 Ft. Long, Non-Code, External Rings, Double Conical, Stainless Steel Barrel, Baffles, 5,800 Gallon Capacity, 1 Compartment, Center Discharge, 3 Inch Stainless Steel Piping, 1 Manhole, Hydraulic Driven Pump, Front And Rear Aluminum Fenders, Stainless Steel Spill Dam, Hose Tube, Spring Suspension, 11R24.5 Aluminum Disc Wheels



1968 FRUEHAUF

6,800 GALLON CAPACITY

1968 FRUEHAUF Stainless Steel Fertilizer Tanker, 42 Ft. Long, Non-Code, External Rings, Straight Round, Stainless Steel Barrel, Baffles, 6,800 Gallon Capacity, 1 Compartment, Rear Discharge, 3 Inch Stainless Steel Piping, 1 Manhole, Pump, Cabinet, Front And Rear Aluminum Fenders, Stainless Steel Spill Dam, Hose Tube, Spring Suspension, 11R24.5 Spoke Wheels

LP & ANHYDROUS TANKER



1981 ACRO

10,500 GALLON CAPACITY

1981 ACRO LP And Anhydrous Tanker, 40 Ft. 6 Inches Long, MC 331, Straight Round, Dal-Worth Barrel, 10,500 Gallon Capacity, Steel Frame, Side Discharge, Front And Rear Aluminum Fenders, Hose Tubes, Spring Suspension, 24.5 Low Profile Tires, Disc Wheels

BELLY DUMP

1997 TRAILBLAZER Steel Belly Dump, 42 Ft. Long, 102 Inches Wide, Clam Air Gate, Front And Rear Fenders, Push Block, Spring Suspension, 11R24.5 Disc Wheels

AUTOMOBILE TRANSPORTER



2005 PETERBILT
2005 COTTRELL STINGER

AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 250 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels, 2005 Cottrell Stinger Automobile Transport Trailer

OVERHAUL • 18 SPEED

2005 PETERBILT 379 Conventional Automobile Transporter, 63 Inch Unibilt **Flat-Top Sleeper**, Caterpillar C15 Engine, 430 H.P., **Caterpillar Platinum Overhaul At 825,000 Miles (With Paperwork)**, Engine Brake, 18 Speed Transmission, 40,000 Lb. Rear Ends, 3.06 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Bunk Heater, Platinum Interior,

YARD HOSTLER



2004 OTTAWA

2004 OTTAWA YT-30 Raised Roof Yard Hostler, Diesel Engine, Automatic Transmission, Single Axle, Hydraulic Power Steering, Air Conditioned, Single Chrome Stack, Full Fenders, Hydraulic Lift 5th Wheel, 22.5 Low Profile Tires, Disc Wheels

PICKUP

1975 CHEVROLET Scottsdale 10 Pickup, Gas 350 Engine, Automatic Transmission, Power Steering, Air Conditioned, Chrome Bumper, AM/FM Radio

COUPE



1969 CHEVROLET

1969 CHEVROLET Camaro **RS SS Coupe, Numbers Matching Factory Original**, Gas 396 Big Block Engine, 350 H.P., Automatic Transmission, Power Steering, Air Conditioned, Bucket Seats

ELECTRIC UTV



COLUMBIA ParCar Electric Utility Vehicle, 48 Volt Electric Power System, 6,000 Lb. Capacity

SHOP EQUIPMENT

(8) Stackable Parts Racks; Muncie Single Line Hydraulic Wet Kit; (2) Aluminum Headache Racks

STRAIGHT TRUCKS



2016 ISUZU

18 FT. VAN BODY

2016 ISUZU NPR Cabover Straight Truck, Isuzu Diesel 5.2 Liter 4HK1-TC Engine, 215 H.P., Allison Automatic Transmission, Single Axle, 5.12 Ratio, Spring Suspension, Air Conditioned, Dual Aluminum Fuel Tanks, Roof Air Fairing, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Morgan 18 Ft. Van Body, Rollup Door, 176 Inch Wheel Base, 19.5 Low Profile Tires, Disc Wheels

26 FT. VAN BODY

2013 INTERNATIONAL 4300 Conventional Straight Truck, Diesel MaxxForce DT Engine, 215 H.P., Allison Automatic Transmission, Single Axle, 5.57 Ratio, Spring Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, 26 Ft. Aluminum Van Body, Wood Floor, Translucent Roof, E-Track, Rollup Door, 272 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

PETERBILT 389s

2009 PETERBILT



NON-SLEEPER • 497k MILES HEAVY SPECS

2009 PETERBILT 389 Non-Sleeper Conventional, **497,000 Approximate Miles**, Cummins ISX Engine, 485 H.P., Engine Brake, FRO-18210C Transmission, **46,000 Lb. Full Locking Rear Ends**, 3.91 Ratio, Air Ride Suspension, **14,000 Lb. Front Axle**, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Aluminum Half Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **3-Line Wet Kit**, Air Slide 5th, 255 Inch Wheel Base, 11R24.5 Disc Wheels, Aluminum Discs Front And Outside Rear



2009 PETERBILT

550 H.P. • 18 SPEED

2009 PETERBILT 389 UltraCab Conventional, 70 Inch Unibilt Stand-Up Sleeper, Cummins ISX Engine, **550 H.P.**, Engine Brake, **RTLO-18918B Transmission**, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, 20 Inch Drop Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Half Fenders, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 277 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

PETERBILT 379



2000 PETERBILT

NON-SLEEPER

2000 PETERBILT 379 UltraCab Flat Boy Non-Sleeper Conventional, Cummins N14 Engine, 435 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 252 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

PETERBILT 388s

2013 PETERBILT



2013 PETERBILT 388 UltraCab Conventional, 70 Inch Unibilt Stand-Up Sleeper, Cummins ISX15 Engine, 450 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 259 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2013 PETERBILT

NON-SLEEPER

2013 PETERBILT 388 Non-Sleeper Conventional, PACCAR MX Engine, 455 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, 120 Gallon Aluminum Fuel Tank, Single Chrome Stack, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Half Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 206 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

PETERBILT 379 EXTENDED HOOD



1996 PETERBILT

500 H.P.

1996 PETERBILT 379 Extended Hood Conventional, 63 Inch **Flat-Top Sleeper**, Caterpillar 3406E 5EK Engine, **435-500 H.P.**, Engine Brake, 15 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Stainless Steel Half Fenders, Accent Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Cruise Control, Power Right Hand Window, P.T.O., Air Slide 5th, 265 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels

PETERBILT 379 EXTENDED HOODS



2007 PETERBILT

550 H.P. • 18 SPEEDS

2007 PETERBILT 379 UltraCab Extended Hood Conventional, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 Engine, **550 H.P.**, Engine Brake, **RTLO-18918B Transmission**, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Half Fenders, Bunk Heater, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 260 Inch Wheel Base, 11R24.5 Aluminum Disc Wheels



2006 PETERBILT

2006 PETERBILT 379 UltraCab Extended Hood Conventional, 70 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 Engine, **550 H.P.**, Engine Brake, **18 Speed Transmission**, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Half Fenders, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 24.5 Low Profile Tires, Aluminum Disc Wheels



2006 PETERBILT

2006 PETERBILT 379 Extended Hood Conventional, 63 Inch Unibilt **Flat-Top Sleeper**, Caterpillar C15 Engine, **550 H.P.**, Engine Brake, **RTLO-18918B Transmission**, 40,000 Lb. Rear Ends, 3.36 Ratio, Flex Air Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Stainless Steel Half Fenders, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 290 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2006 PETERBILT



550 H.P.

2006 PETERBILT 379 UltraCab Extended Hood Conventional, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 Engine, **550 H.P.**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Half Fenders, Bunk Heater, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 260 Inch Wheel Base, 11R24.5 Aluminum Disc Wheels

2005 PETERBILT 379 UltraCab Extended Hood Conventional, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Aluminum Half Fenders, Accent Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **Wet Kit**, P.T.O., Air Slide 5th, 265 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2003 PETERBILT



550 H.P. • 18 SPEEDS

2003 PETERBILT 379 UltraCab Extended Hood Conventional, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **18 Speed Transmission**, 46,000 Lb. Full Locking Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Aluminum Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 265 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2002 PETERBILT

2002 PETERBILT 379 UltraCab Extended Hood Conventional, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **18 Speed Transmission**, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, American Class Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 260 Inch Wheel Base, 11R24.5 Aluminum Disc Wheels

PETERBILT 386s



2013 PETERBILT

NON-SLEEPERS TWO MATCHED 2013 PETERBILTS

2 2013 PETERBILT 386 UltraCab Non-Sleeper Conventional, PACCAR MX-13 Engine, 455 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 244 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



500 H.P. • OVERHAUL

2012 PETERBILT 386 UltraCab Conventional, 70 Inch Unibilt Stand-Up Sleeper, Cummins ISX15 Engine, **500 H.P.**, **Less Than 325,000 Miles On Overhaul (With Paperwork)**, **Reman. Clutch 2/20 (With Paperwork)**, Engine Brake, RTLO-16913A Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Aluminum Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2011 PETERBILT



18 SPEED

2011 PETERBILT 386 UltraCab Conventional, 70 Inch Unibilt Stand-Up Sleeper, Cummins ISX15 Engine, 485 H.P., Engine Brake, **18 Speed Transmission**, 40,000 Lb. Rear Ends, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Platinum Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Air Slide 5th, 244 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

PETERBILT 386s

2013 PETERBILT



2013 PETERBILT 386 UltraCab Conventional, 63 Inch Unibilt Stand-Up Sleeper, Cummins ISX Engine, 450 H.P., Emissions Altered, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Low Air Leaf Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Roof Air Faring, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Prestige Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

DIRECT FROM DECKER TRUCK LINE

2013 PETERBILT 386 UltraCab Conventional, 63 Inch Unibilt Stand-Up Sleeper, Cummins ISX15 Engine, 450 H.P., **New Cam And Main Bearings 11/8/19 (With Paperwork)**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 244 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2013 PETERBILT



2013 PETERBILT 386 UltraCab Conventional, 63 Inch Unibilt Stand-Up Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, 110 Gallon Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Prestige Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2012 PETERBILT

NON-SLEEPER

2012 PETERBILT 386 UltraCab Non-Sleeper Conventional, Cummins ISX15 Engine, 450 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

PETERBILT 579s



2018 PETERBILT

NON-SLEEPER • 207k MILES

2018 PETERBILT 579 Non-Sleeper Conventional, **207,000 Approximate Miles**, Cummins ISX15 Engine, 450 H.P., Engine Brake, Automatic Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 193 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2016 PETERBILT

TWO MATCHED 2016 PETERBILTS

2016 PETERBILT 579 UltraCab Conventional, 80 Inch High Roof Sleeper, Upper Bunk, PACCAR MX Engine, 415 H.P., Engine Brake, 10 Speed AutoShift Transmission, 23,000 Lb. Rear End, **Single Axle**, 2.93 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Stationary 5th, 220 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2014 PETERBILT

550 H.P.

2010 PETERBILT 386 UltraCab Conventional, 63 Inch Unibilt Stand-Up Sleeper, Cummins ISX Engine, **550 H.P., Emissions Altered**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Air Ride Front Axle, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, 150 Gallon Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Exterior Visor, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Platinum Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 236 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels (**photos on web**)



2016 PETERBILT

FIVE MATCHED 2016 PETERBILTS

5 2016 PETERBILT 579 UltraCab Conventional, 80 Inch High Roof Sleeper, Upper Bunk, PACCAR MX-13 Engine, 455 H.P., Engine Brake, 10 Speed AutoShift Transmission, 40,000 Lb. Rear Ends, 2.85 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Prestige Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2015 PETERBILT

TWO MATCHED 2015 PETERBILTS

2 2015 PETERBILT 579 UltraCab Conventional, 80 Inch High Roof Sleeper, Upper Bunk, PACCAR MX-13 Engine, 455 H.P., Engine Brake, 10 Speed AutoShift Transmission, 40,000 Lb. Rear Ends, 2.85 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Prestige Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2014 PETERBILT 579 UltraCab Conventional, 72 Inch Unibilt Stand-Up Sleeper, Cummins ISX15 Engine, 450 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2008 PETERBILT 387 Conventional, Premium Length High Roof Sleeper, Upper Bunk, Cummins ISX Engine, 400 H.P., **Approximately 200,000 Miles On Engine Overhaul (With Paperwork)**, Emissions Altered, Engine Brake, RTOC-16909A 9/13 Convertible To 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Low Air Leaf Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2007 PETERBILT 387 Conventional, Premium Length High Roof Sleeper, Upper Bunk, Caterpillar C15 Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

PETERBILT 587s



2013 PETERBILT

2013 PETERBILT 587 Conventional, Premium Length High Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Dual Aluminum Fuel Tanks, Single Stack, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Adjustable 5th, 230 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2012 PETERBILT 587 Conventional, Premium Length High Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Aluminum Disc Wheels (**photo on web**)

PETERBILT 387s



2010 PETERBILT

2010 PETERBILT 387 Conventional, Premium Length High Roof Sleeper, Upper Bunk, Cummins ISX Engine, 450 H.P., Engine Brake, RTO-16910B-DM3 UltraShift Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, Platinum Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, P.T.O. To Rear, Air Slide 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2008 PETERBILT



OVERHAUL

KENWORTH T-880s



2018 KENWORTH

153k MILES

2018 KENWORTH T-880 Conventional, 36 Inch **Flat-Top Sleeper**, **153,000 Approximate Miles**, PACCAR MX-13 Engine, 455 H.P., Engine Brake, FAO-16810C Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 199 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front And Outside Rear



2018 KENWORTH

NON-SLEEPER • 32k MILES

2018 KENWORTH T-880 Non-Sleeper Conventional, **32,000 Approximate Miles**, Cummins ISX15 Engine, 450 H.P., Engine Brake, RTLO-16913A Transmission, 40,000 Lb. Full Locking Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 220 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels

2004 KENWORTH



2004 KENWORTH T-800 AeroCab **Tri-Axle** Conventional, 72 Inch **Studio Sleeper**, Upper Bunk, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **18 Speed Transmission**, 40,000 Lb. Rear Ends, Steerable Air Lift Pusher Axle, 3.55 Ratio, Air Ride Suspension, 16,000 Lb. Front Axle, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Three Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Dual Stainless Steel Air Cleaners, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Aluminum Headache Rack, Air Slide 5th, 240 Inch Wheel Base, 385/80R22.5 Aluminum Disc Wheels Front, 22.5 Low Profile Tires, Aluminum Discs Rear

1997 KENWORTH T-800 AeroCab Conventional, 62 Inch Aerodyne Sleeper, Cummins M11 Engine, 350-370 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 220 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

KENWORTH T-800s



2013 KENWORTH T-800 AeroCab Conventional, 38 Inch **Flat-Top Sleeper**, PACCAR MX Engine, 455 H.P., Engine Brake, RTLO-16913A Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Neway Air Ride Suspension, Hydraulic Power Steering, Disc Brakes, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Exterior Visor, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Aluminum Headache Rack, Air Slide 5th, 245 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



NON-SLEEPER

2012 KENWORTH T-800 AeroCab Non-Sleeper Conventional, Cummins ISX15 Engine, 485 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **Wet Kit**, P.T.O., Air Slide 5th, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

2006 KENWORTH



550 H.P. • 18 SPEEDS

2006 KENWORTH T-800 AeroCab **Tri-Axle** Conventional, 62 Inch **Flat-Top Sleeper**, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **18 Speed Transmission**, 40,000 Lb. Rear Ends, Steerable Air Lift Pusher Axle, 3.70 Ratio, Air Ride Suspension, 13,200 Lb. Front Axle, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 244 Inch Wheel Base, 315/80R22.5 Aluminum Disc Wheels Front, 22.5 Low Profile Tires, Aluminum Discs Rear

KENWORTH T-800s



500 H.P. • HEAVY SPECS

2005 KENWORTH T-800 AeroCab **Tri-Axle** Conventional, 72 Inch **Flat-Top Sleeper**, Cummins ISX Engine, **500 H.P.**, Engine Brake, 13 Speed Transmission, **40,000 Lb. 3/4 Locking Rear Ends**, Steerable Air Lift Pusher Axle, 3.55 Ratio, Air Ride Suspension, **13,200 Lb. Front Axle**, Hydraulic Power Steering- Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 244 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels



2002 KENWORTH

NON-SLEEPER

2002 KENWORTH T-800 Non-Sleeper Conventional, Caterpillar C12 Engine, 380-425 H.P., Engine Brake, FRO-15210C Transmission, 40,000 Lb. Rear Ends, 3.73 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Aluminum Fuel Tank, Single Chrome Stack, Exterior Visor, Stainless Steel Full Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, **Hydraulic Wetline Kit**, P.T.O., Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

KENWORTH T-800s



NON-SLEEPER

2010 KENWORTH T-800 AeroCab Extended Cab Non-Sleeper Conventional, Caterpillar C13 Engine, 430 H.P., **Emissions Altered**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Full Locking Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, HERD Aluminum Bumper, Aluminum Fuel Tank, Single Chrome Stack, Stainless Steel Exterior Visor, Half Fenders, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Adjustable 5th, 210 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2005 KENWORTH

550 H.P. • 18 SPEEDS

2005 KENWORTH T-800 AeroCab **Tri-Axle** Conventional, 72 Inch **Flat-Top Sleeper**, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **RT-LO-18918B Transmission**, 40,000 Lb. Rear Ends, Steerable Air Lift Pusher Axle, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 247 Inch Wheel Base, 315/80R22.5 Aluminum Disc Wheels Front, 22.5 Low Profile Tires, Aluminum Discs Rear



2002 KENWORTH

2002 KENWORTH T-800 AeroCab **Tri-Axle** Conventional, 72 Inch Aerodyne Sleeper, Caterpillar C15 **6NZ** Engine, **550 H.P.**, Engine Brake, **RTLO-18918B Transmission**, 40,000 Lb. Rear Ends, Steerable Air Lift Pusher Axle, 3.55 Ratio, Air Ride Suspension, 16,000 Lb. Front Axle, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual 8 Inch Straight Chrome Exhaust, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 244 Inch Wheel Base, 385/80R22.5 Aluminum Disc Wheels Front, 22.5 Low Profile Tires, Aluminum Discs Rear

KENWORTH W-900s



2012 KENWORTH

550 H.P.

2012 KENWORTH W-900L AeroCab Conventional, 72 Inch **Flat-Top Sleeper**, Cummins ISX15 Engine, **550 H.P.**, **Emissions Altered**, Engine Brake, RTLO-18913A Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, 150 Gallon Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Roof Air Failing, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 265 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2007 KENWORTH

NON-SLEEPER

2007 KENWORTH W-900L AeroCab Non-Sleeper Conventional, Cummins ISX Engine, 475 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Aluminum Half Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **Hydraulic Wetline Kit**, P.T.O., Air Slide 5th, 230 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2007 KENWORTH

NON-SLEEPER • 18 SPEED

2007 KENWORTH W-900L AeroCab Non-Sleeper Conventional, Caterpillar C15 Engine, 475 H.P., Engine Brake, **RTLO-18918B Transmission**, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Half Fenders, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

KENWORTH T-680s

2017 KENWORTH



2017 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, PACCAR MX-13 Engine, 455 H.P., Engine Brake, FOM-16E310C-LAS Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Splendor Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Adjustable 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels, Rear Wheel Aero Covers

2016 KENWORTH



2016 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Upper Bunk, PACCAR MX-13 Engine, 455 H.P., Engine Brake, FAO-16S10S-EP3 AMT Transmission, 40,000 Lb. Rear Ends, 2.79 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Vantage Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2014 KENWORTH



TWO MATCHED 2014 KENWORTHS

2014 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels



2016 KENWORTH

FIVE MATCHED 2016 KENWORTHS

2016 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 450 H.P., Engine Brake, FR-15210B Transmission, 40,000 Lb. Rear Ends, 2.39 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Adjustable 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels

500 H.P. - 18 SPEED

2016 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Upper Bunk, PACCAR MX-13 Engine, 500 H.P., Engine Brake, RTLO-18918B Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 238 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2015 KENWORTH

2015 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Cummins ISX15 Engine, 450 H.P., Engine Brake, 13 Speed UltraShift Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Vantage Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 230 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2014 KENWORTH



2014 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 450 H.P., Engine Brake, FO-16E310C-LAS Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Vantage Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Adjustable 5th, 229 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2014 KENWORTH



2014 KENWORTH T-680 Conventional, 76 Inch High-Roof Sleeper, PACCAR MX-13 Engine, 450 H.P., Engine Brake, FO-16E310C-LAS Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof And Side Air Fairings, Cab Extenders, Bunk Heater, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

KENWORTH T-660s

2013 KENWORTH



2013 KENWORTH T-660 AeroCab Conventional, 72 Inch Aerodyne Sleeper, Cummins ISX15 Engine, 485 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Exterior Visor, Side Fairings, Cab Extenders, Half Fenders, Bunk Heater, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 242 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels Front, 22.5 Low Profile Tires, Aluminum Discs Rear



2012 KENWORTH

OVERHAUL

2012 KENWORTH T-660 AeroCab Conventional, 62 Inch Flat-Top Sleeper, Cummins ISX Engine, 455 H.P., Recent Overhaul (With Paperwork), Engine Brake, RTLO-16913A Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Stainless Steel Exterior Visor, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 233 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2011 KENWORTH

KENWORTH T-660s

2012 KENWORTH



OVERHAULS

2012 KENWORTH T-660 AeroCab Conventional, 72 Inch Aerodyne Sleeper, Cummins ISX15 Engine, 450 H.P., Less Than 350,000 Miles On Overhaul (With Paperwork), Engine Brake, FO-16E310C-LAS Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Bunk Heater, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2012 KENWORTH T-660 AeroCab Conventional, 72 Inch Aerodyne Sleeper, Cummins ISX15 Engine, 450 H.P., Less Than 220,000 Miles On Overhaul (With Paperwork), Engine Brake, FO-16E310C-LAS Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Bunk Heater, V.I.T. Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels (photo on web)

KENWORTH T-600

2007 KENWORTH



2007 KENWORTH T-600 AeroCab Conventional, 72 Inch Aerodyne Sleeper, Caterpillar C15 Engine, Engine Brake, RTLO-18913A Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

KENWORTH T-700

2013 KENWORTH



2013 KENWORTH T-700 Conventional, Upper Bunk, PACCAR MX Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, GPS Navigation, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, V.I.T. Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Auxiliary Power Unit, Air Slide 5th, 225 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2011 KENWORTH T-660 AeroCab Conventional, 72 Inch Aerodyne Sleeper, Upper Bunk, PACCAR MX-13 Engine, 450 H.P., Emissions Altered, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Cab Extenders, Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

WESTERN STAR 4900SB



2014 WESTERN STAR

2014 WESTERN STAR 4900SB Conventional, **Glider Kit**, 54 Inch High Roof Stratosphere Sleeper, Detroit Series 60 12.7 Liter Engine, 450 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, Bunk Heater, Mesa Interior, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 237 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

WESTERN STAR 4900EX



2001 WESTERN STAR

500 H.P.

2001 WESTERN STAR 4900EX Conventional, 82 Inch High Roof Stratosphere Sleeper, Upper Bunk, Detroit 12.7 Liter Engine, **500 H.P.**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Mesa Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 265 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

WESTERN STAR 4900SF



1990 WESTERN STAR

1990 WESTERN STAR 4900SF Conventional, 68 Inch High Roof Stratosphere Sleeper, Caterpillar 3406B Engine, 425 H.P., Engine Brake, 15 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Full Fenders, Mesa Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 265 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

FREIGHTLINER CLASSIC XL

1998 FREIGHTLINER FLD13264T Classic XL Conventional, 70 Inch Raised Roof Sleeper, Cummins N14 Engine, 475 H.P., Engine Brake, RTLO-18913A Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Dual Stainless Steel Air Cleaners, Exterior Visor, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 265 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels **(photo on web)**

MACK CXU613s



2012 MACK

4 FOUR MATCHED 2012 MACKS

2012 MACK CXU613 Conventional, 60 Inch Mid-Rise Sleeper, Mack MP6 Engine, 445 H.P., Engine Brake, FRO-18210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Aluminum Fuel Tank, Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Adjustable 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels

MACK CX613



2004 MACK

NON-SLEEPER - OVERHAUL

2004 MACK CX613 Non-Sleeper Conventional, Mack ASET Engine, 460 H.P., **Approximately 346,000 Miles On Engine Overhaul**, Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Aluminum Half Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **3-Line Wet Kit**, P.T.O., Air Slide 5th, 186 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front

FREIGHTLINER COLUMBIAS



2004 FREIGHTLINER

NON-SLEEPER

2004 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, Detroit 12.7 Liter Engine, 430 H.P., 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 177 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2004 FREIGHTLINER

NON-SLEEPER

2004 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, Mercedes MBE4000 Engine, 435 H.P., Engine Brake, FRO-15210B Transmission, 40,000 Lb. Full Locking Rear Ends, 4.11 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Single Chrome Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, P.T.O., Air Slide 5th, 180 Inch Wheel Base, 24.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

FREIGHTLINER CORONADOs



2015 FREIGHTLINER

2015 FREIGHTLINER Coronado SD122 Conventional, 70 Inch Mid-Roof XT Sleeper, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, RTOC-16909A 9/13 Convertible To 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Exterior Visor, Cab Extenders, Quarter Fenders, Bunk Heater, Chaparral Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 244 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2015 FREIGHTLINER

OVERHAUL - NEW TRANSMISSION

2015 FREIGHTLINER Coronado Conventional, 70 Inch Raised Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 485 H.P., **Less Than 350,000 Miles On Overhaul (With Paperwork)**, Engine Brake, 13 Speed Transmission, **Less Than 50,000 Miles On New Transmission (With Paperwork)**, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 260 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2013 FREIGHTLINER



NON-SLEEPER 449k MILES - 550 H.P.

2013 FREIGHTLINER Coronado SD Non-Sleeper Conventional, **449,000 Approximate Miles**, Detroit DD16 Engine, **550 H.P.**, Engine Brake, FRO-18210C Transmission, 46,000 Lb. Rear Ends, 3.73 Ratio, Air Ride Suspension, 13,300 Lb. Front Axle, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, **Hydraulic Wetline Kit**, P.T.O., Air Slide 5th, 205 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels

FREIGHTLINER COLUMBIAs

2009 FREIGHTLINER



NON-SLEEPERS

2009 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, Detroit DD15 Engine, 455 H.P., Emissions Altered, Engine Brake, RTO-16910B-DM3 UltraShift Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Pintle Hitch, Air Slide 5th, 170 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

2007 FREIGHTLINER CL112 Columbia Non-Sleeper Conventional, Mercedes MBE4000 Engine, 350 H.P., Engine Brake, FRO-13210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Hydraulic 5th, 162 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2007 FREIGHTLINER



500 H.P.

2007 FREIGHTLINER CL120 Columbia Conventional, 70 Inch Raised Roof Sleeper, Upper Bunk, Caterpillar C15 Engine, 500 H.P., Engine Brake, FRO-15210C Transmission, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Auxiliary Power Unit, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Rear

OVERHAUL

2006 FREIGHTLINER CL120 Columbia Conventional, 70 Inch Mid-Roof XT Sleeper, Mercedes 12.8 Liter Engine, 450 H.P., **Approximately 100,000 Miles On Engine Overhaul**, Engine Brake, RTLO-16913A Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Exterior Visor, Roof Air Fairing, Cab Extenders, Stainless Steel Quarter Fenders, Heritage Interior, Satellite Radio, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Air Slide 5th, 235 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels **(photo on web)**

2006 FREIGHTLINER CL120 Columbia Conventional, 48 Inch Mid-Roof XT Sleeper, Caterpillar C15 Engine, 435 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof Air Fairing, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

2017 FREIGHTLINER



TWO MATCHED 2017 FREIGHTLINERS

2 2017 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD13 Engine, 450 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 3.08 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Premier Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Air Slide 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2016 FREIGHTLINER



50+ MORE THAN FIFTY MATCHED 2016 FREIGHTLINERS

2016 FREIGHTLINER Cascadia125 Evolution Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 2.53 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels, **10% BUYER'S PREMIUM ON THESE UNITS**

2015 FREIGHTLINER



2015 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 Engine, 475 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 3.08 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

FREIGHTLINER CASCADIAS



2016 FREIGHTLINER

TWO MATCHED 2016 FREIGHTLINERS

2 2016 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Cummins ISX15 Engine, 400 H.P., Engine Brake, FR-15210B Transmission, 40,000 Lb. Rear Ends, 2.47 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Premier Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2016 FREIGHTLINER



25+ MORE THAN TWENTY-FIVE MATCHED 2016 FREIGHTLINERS

2016 FREIGHTLINER Cascadia125 Evolution Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 475 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 2.53 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels, **10% BUYER'S PREMIUM ON THESE UNITS**

2015 FREIGHTLINER



2015 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels



2016 FREIGHTLINER

2016 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, FR-15210B Transmission, 40,000 Lb. Rear Ends, 2.47 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Premier Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2016 FREIGHTLINER



TWO MATCHED 2016 FREIGHTLINERS

2 2016 FREIGHTLINER Cascadia125 Evolution Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.23 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels, **10% BUYER'S PREMIUM ON THESE UNITS**

2014 FREIGHTLINER



2014 FREIGHTLINER Cascadia125 Conventional, 72 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 470 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 3.31 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Stainless Steel Full Fenders, Deluxe Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 236 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2015 FREIGHTLINER



2015 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, Automatic Transmission, 40,000 Lb. Rear Ends, 3.31 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 244 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2014 FREIGHTLINER



2014 FREIGHTLINER Cascadia125 Conventional, 72 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 244 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2014 FREIGHTLINER



505 H.P.

2014 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, **505 H.P.**, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

FREIGHTLINER CASCADIAS



2014 FREIGHTLINER

NON-SLEEPER

2014 FREIGHTLINER Cascadia125 Non-Sleeper Conventional, Detroit DD15 14.8 Liter Engine, 475 H.P., Engine Brake, DT12 Transmission, 40,000 Lb. Rear Ends, 3.23 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2013 FREIGHTLINER

2013 FREIGHTLINER Cascadia125 Conventional, 60 Inch Mid-Roof XT Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Adjustable 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2010 FREIGHTLINER

2010 FREIGHTLINER Cascadia125 Conventional, 72 Inch Mid-Roof XT Sleeper, Cummins ISX Engine, 425 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 240 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2014 FREIGHTLINER

2014 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2013 FREIGHTLINER

2013 FREIGHTLINER Cascadia125 Conventional, 72 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 455 H.P., Engine Brake, FR-15210B Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Roof And Side Air Fairings, Cab Extenders, Deluxe Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Refrigerator, Adjustable 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2009 FREIGHTLINER

2009 FREIGHTLINER Cascadia125 Conventional, 60 Inch Mid-Roof XT Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, FR-15210B Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, Premier Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 216 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2013 FREIGHTLINER

2013 FREIGHTLINER Cascadia125 Conventional, 72 Inch Mid-Roof XT Sleeper, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

INTERNATIONAL 8600

NON-SLEEPER

2005 INTERNATIONAL TranStar 8600 Non-Sleeper Conventional, Cummins ISM Engine, 400 H.P., 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 165 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels **(photo on web)**

INTERNATIONAL 4600

NON-SLEEPER

2007 INTERNATIONAL 4600 Non-Sleeper Conventional, Diesel DT466 Engine, 220 H.P., Engine Brake, Allison Automatic Transmission, 23,000 Lb. Rear End, **Single Axle**, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Single Chrome Stack, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Disc Wheels **(photo on web)**

INTERNATIONAL 9200i's

2007 INTERNATIONAL 9200i Conventional, 51 Inch Hi-Rise Sleeper, Caterpillar C13 Engine, 410 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Half Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 201 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front



2013 FREIGHTLINER

THREE MATCHED 2013 FREIGHTLINERS

3 2013 FREIGHTLINER Cascadia113 Conventional, 60 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 225 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels

TWO MATCHED 2011 FREIGHTLINERS

2 2011 FREIGHTLINER Cascadia113 Conventional, 60 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, P.T.O., Air Slide 5th, 225 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels **(photo on web)**

NON-SLEEPERS

TWO MATCHED 2006 INTERNATIONALS

2 2006 INTERNATIONAL 9200i Non-Sleeper Conventional, Cummins ISM Engine, 410 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 183 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2002 INTERNATIONAL 9200i Non-Sleeper Conventional, Cummins N14 Plus Engine, 400 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.70 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Bumper, Aluminum Fuel Tank, Single Chrome Stack, Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 185 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

2012 FREIGHTLINER Cascadia125 Conventional, 60 Inch Mid-Roof XT Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, FRO-15210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

2012 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2011 FREIGHTLINER Cascadia125 Conventional, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 Engine, 455 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

INTERNATIONAL 9200s



2008 INTERNATIONAL

2008 INTERNATIONAL 9200i Conventional, 51 Inch Low-Roof Sleeper, Cummins ISX Engine, 450 H.P., PDI Manifold, **Turbo And Programming To 600 H.P., Emissions Altered**, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, **Double Framed**, 3.73 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Drop Visor, Full Fenders, Premium Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 250 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

627k MILES

2004 INTERNATIONAL 9200i Conventional, 72 Inch Hi-Rise Sleeper, **627,000 Approximate Miles**, Caterpillar C15 Engine, 435 H.P., Engine Brake, M0-16012A-A16 12 Speed Automatic Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, Eagle Interior, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Adjustable 5th, 230 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels **(photo on web)**

800-654-8280

www.taylorandmartin.com

INTERNATIONAL PROSTARs

2016 INTERNATIONAL



2016 INTERNATIONAL ProStar122 Conventional, 73 Inch Hi-Rise Sleeper, Cummins ISX15 Engine, 450 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, Premium Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 240 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front And Outside Rear



2014 INTERNATIONAL

NON-SLEEPER - 497k MILES

2014 INTERNATIONAL ProStar+122 Non-Sleeper Conventional, **497,000 Approximate Miles**, Cummins ISX15 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Aluminum Disc Wheels



2009 INTERNATIONAL

2009 INTERNATIONAL ProStar122 Premium Conventional, 73 Inch Hi-Rise Sleeper, Cummins ISX Engine, 485 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof Air Fairs, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Adjustable 5th, 232 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2015 INTERNATIONAL



2015 INTERNATIONAL ProStar122 Conventional, 73 Inch Hi-Rise Sleeper, Upper Bunk, Cummins ISX15 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

2013 INTERNATIONAL ProStar122 Conventional, 56 Inch Hi-Rise Sleeper, Diesel MaxxForce 13 Engine, 475 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Stainless Steel Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 213 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear *(photo on web)*

2013 INTERNATIONAL



TWO MATCHED 2013 INTERNATIONALS

2013 INTERNATIONAL ProStar+122 Eagle Conventional, 73 Inch Hi-Rise Sleeper, Diesel MaxxForce 13 Engine, 450 H.P., **Emissions Altered**, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, Eagle Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

INTERNATIONAL 9400s



2006 INTERNATIONAL

NON-SLEEPER

2006 INTERNATIONAL 9400i Non-Sleeper Conventional, Cummins ISM Engine, 400 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 181 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front

2005 INTERNATIONAL



OVERHAUL

2005 INTERNATIONAL 9400i Conventional, 72 Inch Hi-Rise Sleeper, Cummins ISX Engine, 464 H.P., **Approximately 60,000 Miles On Engine Overhaul (With Paperwork), Emissions Altered**, Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear

1996 INTERNATIONAL 9400 Conventional, 51 Inch Low-Roof Sleeper, Cummins ISM Engine, 370 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Exterior Visor, Cab Extenders, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 205 Inch Wheel Base, 24.5 Low Profile Tires, Aluminum Disc Wheels *(photo on web)*

VOLVO VNL 730

2013 VOLVO VNL 730 Conventional, Volvo D13 Engine, 425 H.P., Engine Brake, Volvo I-Shift AT02612D Transmission, 40,000 Lb. Rear Ends, 3.09 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, Performance Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels *(photo on web)*



2006 INTERNATIONAL

2006 INTERNATIONAL 9400i Eagle Conventional, 51 Inch Hi-Rise Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, Eagle Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 204 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2005 INTERNATIONAL



2005 INTERNATIONAL 9400i Eagle Conventional, 51 Inch Low-Roof Pro Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, Eagle Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 222 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2000 INTERNATIONAL

525 H.P.

2000 INTERNATIONAL 9400i Conventional, 51 Inch Hi-Rise Sleeper, Cummins N14 Red Top Engine, **525 H.P.**, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

VOLVO VNL 780s



2015 VOLVO

2015 VOLVO VNL 780 Conventional, Upper Bunk, Volvo D13 Engine, 425 H.P., Engine Brake, Volvo I-Shift AT02612D Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2014 VOLVO

2014 VOLVO VNL 780 Conventional, Upper Bunk, Volvo D13 Engine, 455 H.P., Engine Brake, Volvo I-Shift AT02612D Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, Deluxe Interior, Satellite Radio, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Workstation, Air Slide 5th, 234 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2005 VOLVO VNL 780 Conventional, Upper Bunk, Volvo VED12 Engine, 465 H.P., MO-16212A-A16 Transmission, 40,000 Lb. Rear Ends, 3.21 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 242 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels *(photo on web)*

VOLVO VNM 610s

1999 VOLVO VNM 610 Conventional, Cummins ISM Engine, 370 H.P., Engine Brake, RTAO-14710C-AS Transmission, 40,000 Lb. Rear Ends, 3.90 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 210 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels *(photo on web)*

1999 VOLVO VNM 610 Conventional, Cummins ISM Engine, 370 H.P., Engine Brake, RTAO-14710C-AS Transmission, 40,000 Lb. Rear Ends, 3.90 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 210 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear *(photo on web)*

VOLVO VNL 670s



2013 VOLVO VNL 670 Conventional, Volvo D13 Engine, 455 H.P., Engine Brake, Volvo I-Shift Transmission, 40,000 Lb. Full Locking Rear Ends, 3.08 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Refrigerator, Air Slide 5th, 22.5 Low Profile Tires, Aluminum Disc Wheels

RECENT ENGINE WORK

2012 VOLVO VNL 670 Conventional, Upper Bunk, Volvo D13 Engine, 435 H.P., **Recent Engine Work (With Paperwork)**, Emissions Altered, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Side Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 210 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2011 VOLVO VNL 670 Conventional, Volvo D13 Engine, 450 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 40,000 Lb. Rear Ends, 3.25 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear **(photo on web)**

VOLVO VNL 630s

TWO MATCHED 2013 VOLVOS

2013 VOLVO VNL 630 Conventional, Cummins ISX15 Engine, 400 H.P., Engine Brake, FRO-16210C Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 216 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2013 VOLVO VNL 630 Conventional, **Known Engine Problems**, Volvo D13 Engine, 425-474 H.P., Engine Brake, Volvo I-Shift Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Side Fairings, Cab Extenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Aluminum Disc Wheels

VOLVO VNL 300



2006 VOLVO VNL 300 Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., Engine Brake, 15 Speed Transmission, 40,000 Lb. Rear Ends, 3.73 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, **Hydraulic Wetline Kit**, P.T.O., Air Slide 5th, 173 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

VOLVO VNL 300s



2013 VOLVO VNL 300 Non-Sleeper Conventional, Volvo D13 Engine, 405 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 23,000 Lb. Rear End, **Single Axle**, 2.50 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Cattle Guard, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 167 Inch Wheel Base, 11R22.5 Disc Wheels



2011 VOLVO VNL 300 Non-Sleeper Conventional, Volvo D13 Engine, 405 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 180 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front And Outside Rear



2011 VOLVO VNL 300 Non-Sleeper Conventional, Volvo D13 Engine, 405 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 20,000 Lb. Rear End, **Single Axle**, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 144 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

VOLVO VNL 300s



2015 VOLVO VNL 300 **Tri-Axle** Non-Sleeper Conventional, Volvo D13 Engine, 425 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 40,000 Lb. Rear Ends, Steerable Air Lift Pusher Axle, 2.64 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 229 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels



2013 VOLVO VNL 300 Non-Sleeper Conventional, Volvo D13 Engine, 425 H.P., Engine Brake, Volvo I-Shift AT2612D Transmission, 40,000 Lb. Rear Ends, 2.47 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Cattle Guard, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof And Side Air Fairings, Cab Extenders, Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 178 Inch Wheel Base, 11R22.5 Disc Wheels



2013 VOLVO VNL 300 Non-Sleeper Conventional, Cummins ISX15 Engine, 400 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Cab Extenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 173 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

2012 VOLVO VNL 300 Non-Sleeper Conventional, Cummins ISX15 Engine, 400 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Cab Extenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 173 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front **(photo on web)**